



ATS ELGI
THINK LONG RUN



Air Tools



ATS ELGI
THINK LONG RUN

SP 1826S6

3/8" Impact Wrenches
(Single Dog)



Bolt Capacity : 8 mm
Working Torque : 7-41 Nm
Max. Torque : 68 Nm
Net Weight : 0.7 kg

SP 1143S

3/8" Impact Wrenches
(Dyna Jaw)



Bolt Capacity : 14 mm
Working Torque : 50-320 Nm
Max. Torque : 350 Nm
Net Weight : 1.6 kg

IW 3200HP

3/8" Impact Wrenches
(Jumbo Hammer)



Bolt Capacity : 13 mm
Working Torque : 20-220 Nm
Max. Torque : 244 Nm
Speed : 10000 rpm
Net Weight : 1.3 kg

SP 7142S

3/8" Impact Wrenches
(Twin Dog)



Bolt Capacity : 12 mm
Working Torque : 50-270 Nm
Max. Torque : 290 Nm
Net Weight : 1.4 kg

SP 1135B

1/2" Impact Wrenches
(Single Hammer)



Bolt Capacity : 10 mm
Working Torque : 7-90 Nm
Max. Torque : 120 Nm
Net Weight : 1.3 kg

SP 1138

3/8" Impact Wrenches
(Single Hammer)



Bolt Capacity : 10 mm
Working Torque : 7-70 Nm
Max. Torque : 140 Nm
Net Weight : 1.0 kg

JAI 0924

1/2" Impact Wrenches
(Composite Body)



Bolt Capacity : 16 mm
Working Torque : 50-750 Nm
Max. Torque : 1148 Nm
Net Weight : 1.94 kg

SP 1140EX

1/2" Impact Wrenches
(Twin Dog)



Bolt Capacity : 16 mm
Working Torque : 50-500 Nm
Max. Torque : 550 Nm
Net Weight : 2.58 kg

SP 7140

1/2" Impact Wrenches
(Twin Dog)



Bolt Capacity : 16 mm
Working Torque : 50-450 Nm
Max. Torque : 520 Nm
Net Weight : 2.1 kg

JAI 0405

1/2" Impact Wrenches
(Twin Hammer)



Bolt Capacity : 16 mm
Working Torque : 52-450 Nm
Max. Torque : 542 Nm
Net Weight : 2.6 kg

JAI 0936

3/4" Impact Wrenches
(Composite Body)



Bolt Capacity : 25 mm
Working Torque : 280-1620 Nm
Max. Torque : 2025 Nm
Net Weight : 3.89 kg

SP 1158

3/4" Impact Wrenches
(Single Dog)



Bolt Capacity : 25 mm
Working Torque : 270-900 Nm
Max. Torque : 1500 Nm
Net Weight : 5.5 kg

SP 1191

1" Impact Wrenches
(Single Dog)



Bolt Capacity : 32 mm
Working Torque : 280-1000 Nm
Max. Torque : 1650 Nm
Net Weight : 6.2 kg

SP 1190P

1" Impact Wrenches
(Single Dog)



Bolt Capacity : 38 mm
Working Torque : 200-1350 Nm
Max. Torque : 2200 Nm
Net Weight : 9.0 kg

JAI 6276L

1" Impact Wrenches
(Twin Dog)



Bolt Capacity : 38 mm
Working Torque : 280-1500 Nm
Max. Torque : 2439 Nm
Net Weight : 12.2 kg

SP 5000GE

1" Impact Wrenches
(Pinless Hammer)



Bolt Capacity : 50 mm
Working Torque : 280-1900 Nm
Max. Torque : 2700 Nm
Net Weight : 17.3 kg

OUT - 441SD

3/8" Oil Pulse tool
Shut off



Bolt Capacity : M5 - M6
Working Torque : 5-12 Nm
Max. Torque : 14 Nm
Speed : 5000 rpm
Net Weight : 0.98 kg

OUT - 771PD


3/8" Oil pulse tool
Shut off



Bolt Capacity : M10 - M10
Working Torque : 22-47 Nm
Max. Torque : 52 Nm
Speed : 6000 rpm
Net Weight : 1.44 kg

OUT - 991PD

1/2" Oil Pulse tool
Shut off



Bolt Capacity : M10 - M12
Working Torque : 45-80 Nm
Max. Torque : 90 Nm
Speed : 4200 rpm
Net Weight : 2.1 kg

JAI 1138L

1" Super Duty Impact Wrench



Bolt Capacity : 36 mm
Working Torque : 200-2430 Nm
Max. Torque : 2714 Nm
Speed : 5000 rpm
Net Weight : 8.3 Kg

SP 7146EXS

3/8" IW
SP7146EXS
Stubby



Bolt Capacity : 12 mm
Working Torque : 50-270 Nm
Max. Torque : 300 Nm
Speed : 10000 rpm
Net Weight : 0.96 kg

SP 7146EX

1/2" IW
SP7146EX
Stubby



Bolt Capacity : 16 mm
Working Torque : 20-320 Nm
Max. Torque : 340 Nm
Speed : 9000 rpm
Net Weight : 0.97 kg

SP 7144V8

1/2" Impact
Wrench
SP7144V8



Bolt Capacity : 16 mm
Working Torque : 20-320 Nm
Max. Torque : 340 Nm
Speed : 9000 rpm
Net Weight : 0.97 kg

SP 7150

3/4" Impact
Wrench
SP7150



Bolt Capacity : 25 mm
Working Torque : 270-900 Nm
Max. Torque : 1060 Nm
Speed : 4300 rpm
Net Weight : 3.6 Kg

Air Tools



ATS ELGI
THINK LONG RUN

SP 1826H

1/4" Impact Drivers



Hex. Drive : 6.35 mm
Working Torque : 7-41 Nm
Max. Torque : 68 Nm
Net Weight : 0.7 kg

SP 8102B

1/4" Impact Drivers
(Heavy Duty)



Hex. Drive : 6.35 mm
Working Torque : 7-70 Nm
Max. Torque : 100 Nm
Net Weight : 1.2 kg

JAB 0309

1/4" Air Impact Driver



Hex Drive : 6.35 mm
Working Torque : 7-70 Nm
Max. Torque : 145 Nm
Net Weight : 1.2 kg

SPVD 84

1/4" Impact Drivers



Hex. Drive : 6.35 mm
Working Torque : 5-15 Nm
Max. Torque : -
Net Weight : 0.83 kg

SP 1175B*

3/8" Ratchet Wrenches



Bolt Capacity : 13 mm
Working Torque : 13-75 Nm
Free Speed : 280 Nm
Net Weight : 1.4 kg

SP 1133SX-2

3/8 & 1/2" Ratchet Wrenches



Bolt Capacity : 10 mm
Working Torque : 13-77 Nm
Free Speed : 160 Nm
Net Weight : 1.2 kg

SP 1176B*

1/2" Ratchet Wrenches



Bolt Capacity : 13 mm
Working Torque : 13-75 Nm
Free Speed : 280 Nm
Net Weight : 1.4 kg

SP 7777

1/2" Ratchet Wrenches
(Flat Head)



Bolt Capacity : 12 mm
Working Torque : 13-122 Nm
Free Speed : 180 Nm
Net Weight : 1.5 kg

JAD 0401

1/4" Screw Drivers



Chuck Hex. Size : 6.35 mm
Working Torque : 1.12-3.38 Nm
Free Speed : 1500 rpm
Net Weight : 0.65 kg

JAD 0402

1/4" Screw Drivers



Chuck Hex. Size : 6.35 mm
Working Torque : 2.25-5.08 Nm
Free Speed : 1800 rpm
Net Weight : 0.65 kg

SP 1800

1/4" Screw Drivers



Chuck Hex. Size : 6.35 mm
Working Torque : 5-15 Nm
Free Speed : 1800 rpm
Net Weight : 1.0 kg

SP 1800A

1/4" Screw Drivers



Chuck Hex. Size : 6.35 mm
Working Torque : 5-13.6 Nm
Free Speed : 1800 rpm
Net Weight : 1.25 kg

SP 1810

1/4" Screw Drivers



Chuck Hex. Size : 6.35 mm
Working Torque : 5-34 Nm
Free Speed : 2200 rpm
Net Weight : 1.1 kg

SP 1810A

1/4" Screw Drivers



Chuck Hex. Size : 6.35 mm
Working Torque : 11-17 Nm
Free Speed : 2200 rpm
Net Weight : 1.1 kg

SP 1812

Screw Drivers



Chuck Hex. Size : 6.35 mm
Working Torque : 5-29 Nm
Free Speed : 800 rpm
Net Weight : 1.3 kg

SP 1527

1/2" Drills
(Reversible Type)



Chuck Size : 13 mm
Free Speed : 500 rpm
Motor : 0.5 HP
Net Weight : 1.63 kg

SP 1511

3/8" Drills



Chuck Size : 10 mm
Free Speed : 2500 rpm
Motor : 0.25 HP
Net Weight : 0.74 kg

SP 1522

3/8" Drills
(With Silencer)



Chuck Size : 10 mm
Free Speed : 2500 rpm
Motor : 0.5 HP
Net Weight : 0.96 kg

SP 1525


3/8" Drills
(Reversible Type)



Chuck Size : 10 mm
Free Speed : 2200 rpm
Motor : 0.5 HP
Net Weight : 1.23 kg

SP 1510AH

3/8" Drills
(Reversible Type)



Chuck Size : 10 mm
Free Speed : 1800 rpm
Motor : 0.5 HP
Net Weight : 1.2 kg

IW-4305PK

HK-1/2" Impact wrench



1pc Of Oil Pot
1pc Of Nipple
1pc Of Mini Oiler
1pc Of Plastic Case
1pc Of 4mm Hex Wrench
1pc Of IW-4305P 1/2" Impact Wrench
10pc Of Air Sockets (9, 10, 11, 13, 14, 17, 19, 22, 24, 27 Mm)
1pc Of 1/2" Dr 5" Extension Bar

IW-8307S-6

HK-1" Impact 6" anvil



Bolt Capacity : 45 mm
Free Speed : 4000 rpm
Max Torque : 2200 ft-lb (2983 Nm)
Net Weight : 10.6 kg

IW-8305HP

HK-1" Impact U bolt



Bolt Capacity : 41 mm
Free Speed : 3500 rpm
Max Torque : 2000 ft-lb (2712 Nm)
Net Weight : 9.6 kg

JAT 1035

Riveting Nut Tool
(semi automatic)



Traction power : 1650 kgf
Capacity (Steel-Steel) : M4~M10
Capacity (ss-ss) : M4~M8
Stroke length : 6 mm

Air Tools



ATS ELGI
THINK LONG RUN

JAD 1015*

3/8" Drills
(Spot Weld Type)



Chuck Size : 8 mm
Free Speed : 1800 rpm
Motor : 0.5 HP
Net Weight : 2.1 kg

JAD 6243BQ

1/2" Drills
(Keyless Chuck Type)



Chuck Size : 13 mm
Free Speed : 800 rpm
Motor : 0.5 HP
Net Weight : 1.82 kg

SP 1523D

1/2" Drills
(Tyre Buffer)



Chuck Size : 10 mm
Free Speed : 3800 rpm
Motor : 0.5 HP
Net Weight : 0.72 kg

SP 1200

Die Grinders



Collet Size : 6 mm
Free Speed : 28000 rpm
Motor : 0.25 HP
Net Weight : 0.30 kg

SP 1523

Die Grinders



Collet Size : 6 mm
Free Speed : 3800 rpm
Motor : 0.5 HP
Net Weight : 0.72 kg

SP 1220S

Die Grinders



Collet Size : 6 mm
Free Speed : 23000 rpm
Motor : 0.5 HP
Net Weight : 0.56 kg

JAG 0906 FM

Die Grinders



Collet Size : 6.0 mm
Free Speed : 22000 rpm
Motor : 0.6 HP
Net Weight : 0.6 kg

JAG 0976RM

Die Grinders
(7" Extension Type)



Collet Size : 6 mm
Free Speed : 22000 rpm
Motor : 0.6 HP
Net Weight : 1.3 kg

JAG 0707

Die Grinders
(Pencil/Micro Type)



Collet Size : 3, 1/8", 3/32"
Free Speed : 60000 rpm
Motor : 1 HP
Net Weight : 0.13 kg

EGS-35N

Die Grinders



Collet Size : 6 mm
Free Speed : 35000 rpm
Motor : 0.4 HP
Net Weight : 0.45 kg

EGS 21

Die Grinders



Collet Size : 6 mm
Free Speed : 21000 rpm
Wheel Capacity : 40 mm
Overall Length : 311 mm

SP 1254

Disc Grinders



Disc Capacity : 100 mm
Free Speed : 12000 rpm
Motor : 0.8 HP
Net Weight : 1.7 kg

JAG 1015

Disc Grinders



Disc Capacity : 125 mm
Free Speed : 11000 rpm
Motor : 0.8 HP
Net Weight : 1.4 kg

SP 1261L

Disc Grinders



Disc Capacity : 180 mm
Free Speed : 7500 rpm
Motor : 1.25 HP
Net Weight : 3.5 kg

EGS-6-60N

Disc Grinders
(Heavy Duty)



Disc Capacity : 150x25 mm
Free Speed : 6000 rpm
Motor : 3 HP
Net Weight : 5.2 kg

SP 1350

Sanders



Pad or Disc Dia : 125 mm
Variable Speed : 15000 rpm
Motor : 0.5 HP
Net Weight : 0.96 kg

SP 1245

Sanders



Pad or Disc Dia : 180 mm
Variable Speed : 5400 rpm
Motor : 1 HP
Net Weight : 2.4 kg

SP 1230

Sanders



Pad or Disc Dia : 180 mm
Variable Speed : 5400 rpm
Motor : 1 HP
Net Weight : 2.1 kg

JAT 0919V

Air Hydraulic Composite Rivetter
(with vacuum system)




Rivet Capacity : 3/16"
Traction Power : 900 Kgf
Stroke length : 19 mm
Net Weight : 1.5 kg

SP 1350

Sanders



Pad or Disc Dia : 125 mm
Variable Speed : 15000 rpm
Motor : 0.5 HP
Net Weight : 0.96 kg



Air Tools



ATS ELGI
THINK LONG RUN

SP 1370

Belt Sanders



Pad or Disc Dia : 10 x 330 mm
Variable Speed : 16000 rpm
Overall Length : 275 mm
Net Weight : 0.8 kg

SP 1380

Belt Sanders



Pad or Disc Dia : 20 x 520 mm
Variable Speed : 17000 rpm
Overall Length : 365 mm
Net Weight : 1.4 kg

SP 1331L

Mini Sander
(Low Speed/High Torque)



Pad or Disc Dia : 70 mm
Variable Speed : 3000 rpm
Overall Length : 145 mm
Net Weight : 0.7 kg

SP 3606DF-A5

Double Action Sanders
(Dust Free)



Pad or Disc Dia : 150 mm
Free Speed : 10000 rpm
Orbit Dia : 5 mm
Net Weight : 1.26 kg

SP 3606-A5

Double Action Sanders



Pad or Disc Dia : 150 mm
Free Speed : 10000 rpm
Orbit Dia : 5 mm
Net Weight : 1.23 kg

JAS 6533

Double Action Sanders



Pad or Disc Dia : 125 mm
Free Speed : 10000 rpm
Orbit Dia : 5 mm
Net Weight : 1.0 kg

SP 3900DF-A3

Orbital Sanders
(Dust Free)



Pad or Disc Dia : 75 x 110 mm
Free Speed : 9500 rpm
Orbit Dia : 3 mm
Net Weight : 0.86 kg

SP 3800-A5

Orbital Sanders



Pad or Disc Dia : 100 x 180 mm
Free Speed : 7000 rpm
Orbit Dia : 5 mm
Net Weight : 1.57 kg

SP 1240

Polisher



Pad or Disc Dia : 205 mm
Free Speed : 2500 rpm
Motor : 1 HP
Net Weight : 2.1 kg

SP 1247

Polisher



Pad or Disc Dia : 205 mm
Free Speed : 3800 rpm
Motor : 1 HP
Net Weight : 2.4 kg

SP 1410

Air Hammer



Shank Size : 10.2 mm
Blows/min : 3800 bpm
Overall length : 216 mm
Net Weight : 1.65 kg

SP 1730

Air Saw / File



Cutting Capacity : 10 mm
Strokes/min : 5000 spm
Overall length : 277 mm
Net Weight : 0.88 kg

SP 1470/SP 1470FC

Needle Scaler/Flux Chipper



Piston Dia : 25 mm
Blows/min : 4000 bpm
Piston Stroke : 22 mm
Net Weight : 1.7 kg

JAH 0111

H/D Flux Chipper



Piston Dia : 23.5x20x73 mm
Blows/min : 3000 bpm
Overall length : 375 mm
Net Weight : 2.6 kg

JAT 6441

Air Knife



Oscillation/min : 0-22000 Oscln.
Overall length : 120 mm
Net Weight : 1.2 kg
Air Inlet in NPTF: 1/4

JAT 501

Air Caulking Gun



Air Pressure : 50 - 70 PSI
Air Consumption : 4cfm, 114l/min
Overall length : 345 mm
Net Weight : 1.6 kg
Air Inlet in NPTF :1/4

Cooling System Pressure Tester



Pressure pump: 0-30 psi
Bladder tested : 1500 inflations
Suits neck diameters up to 45mm
Max pressure: 30 psi

Break Bleeding Kit



Air Pressure : 80-130 psi
Air Consumption : 180 ltr/min (10 cfm)
Vacuum : 25" Hg at 100psi
Thread Connection : 1/4" BSP
Container Capacity : 500ml

Cooling System Refilling Gun



Air Pressure: 80-130 psi
Air Consumption: 180 ltr/min (10 cfm)
Vacuum : 25" Hg at 100psi
Thread Connection : 1/4" BSP
Container Capacity : 1500ml

Fluid Evacuation Kit



Air Pressure: 80-130 psi
Air Consumption: 180 ltr/min (10 cfm)
Vacuum : 25" Hg at 100psi
Thread Connection : 1/4" BSP
Container Capacity : 7L (1.8 gallon)

ATS ELGI Ltd.,

Private Industrial Estate, Kurichy, Coimbatore - 641021, India.

Tel : +91-422-2589999 | Email: enquiry@ats-elgi.com

Visit us at : www.ats-elgi.com

Toll-free number : 1800-425-3544

Working Hrs : Monday - Saturday : 9:00AM - 7:00PM

